


GSD-55-4

Kontroll-Nr. --

2025-08-06 V.01.02.2025

Pos.no	Item no.	Description	Qty.
GSD-55-4			
			
		GSD-55-4	
1	173-	Packing & O-Ring Set	1
2	141-006-19	Hex.Nut M10 SUS304 (EN X5CrNi18-10)	6
3	010-103-21	Cable Clip No.4 SPC	4
4	010-129-10	Cable Clip Rubber 115x100x4t NBR	2
5	140-074-15	Hex.Bolt M10x20 SUS304	6
6	011-101-19	Shackle 6mm SS	4
7	095-131-18	Chain 4mm(3L) SS	2
8	072-100-20	Eye Bolt M10 SUS304	2
9	009-107-18	Terminal R-14-6 CU	2
10	009-113-17	Terminal R-38-10 CU	6
11	009-116-10	Terminal R2-4	3
12	140-058-13	Hex.Bolt M8x40 SUS304 (EN X5CrNi18-10) Stainless Steel	8
13	141-005-18	Hex.Nut M8 SUS304 (EN X5CrNi18-10)	8
14	003-106-19	Gland No.5 FC200 (EN-GJL-200)	2
15	004-000-32	Cable Bush 58X33.5X26.5L NBR	2
16	006-103-28	Stuffing Box No.5 FC200 (EN-GJL-200)	2
17	122-264-18	O-Ring 140xd3.5 NBR	2
18	140-076-17	Hex.Bolt M10x30 SUS304 (EN X5CrNi18-10) Stainless Steel	8
19	142-164-19	Spring Washer M10 SUS304	8
20	001-009-71	Cabtyre Cable Set(20m) 380/400/415V-50Hz(EUR,NSU) NSSHO/3E+ST(U1-W1/E)	1
21	001-009-72	Cabtyre Cable Set(20m) 380/400/415V-50Hz(EUR,NSU) NSSHO/3E+ST(V2-U2/S1-S3/E)	1
22	008-132-19	Mould Cover KRS-819/822(L) NBR	2
23	003-149-14	Gland (Lower) No.5 FC	2
24	140-033-12	Hex.Bolt M6x16 SUS304 (EN X5CrNi18-10) Stainless Steel	8
25	009-107-18	Terminal R-14-6 CU	4
26	002-000-20	Earth tube	4
27	009-	Earth Terminal	1
28	143-000-58	Pan Screw (w/Spring Washer/Plain Washer) M6x12 SWRM	1
29	009-107-18	Terminal R-14-6 CU	1
30	009-115-19	Connector PC-4020F	2
31	009-114-18	Connector PC-4020M	2
32	141-004-59	Hex.Nut M6 SWRM	8
33	009-167-16	Terminal R-38-S6 CU	12
34	009-167-16	Terminal R-38-S6 CU	12
35	140-029-28	Hex.Bolt M6x10 SWRM	8
36	200-000-23	Electrical tape(30M) 540S(0.18T-30Wx30M)	1
37	002-000-18	Heat Shrink Tube (Sold per meter) W3F2(3/4IN) (V/m)	1
	002-164-12	Heat Shrink Tube (Sold per meter)A4(d13x0.3t)(JPY /m)	1
	009-114-18	Connector PC-4020M	1
	009-115-19	Connector PC-4020F	1

GSD-55-4

Kontroll-Nr. --

2025-08-06 V.01.02.2025

Pos.no	Item no.	Description	Qty.
38	140-052-17	Hex.Bolt M8x16 SUS304	2
39	142-163-18	Spring Washer M8 SUS304	2
40	046-000-05	Air Release Valve GSZ/NKZ/B SPCC	1
41	121-151-18	Packing (Air Release Valve) P.C.80xd50 CR	1
42	203-058-11	Ball d28 SS	1
43	140-129-16	Hex.Bolt M16x65 SUS304 (EN X5CrNi18-10) Stainless Steel	8
44	142-166-11	Spring Washer M16 SUS304	8
45	142-000-48	Washer M16(d16.5xd31.5x5t) EN X5CrNi18-10	8
46	121-514-13	Packing (Fixing Plate Bolt)d15.5xd27x4tCR	8
47	035-113-18	Oil Plug M12x14 SUS304 (EN X5CrNi18-10) Stainless Steel	1
48	121-247-12	Packing d12.3xd18x2t PE	1
49	050-001-18	Motor Bracket FC250 (EN-GJL-250)	1
50	122-307-14	O-Ring (P.Casing/Suction Plate) 510xd5.7 NBR	2
51	142-455-10	Wave Washer Nr.6312(d127x5t) SK5	1
52	052-114-25	Upper Bearing 6312ZZC3	1
	181-000-03	Cable Tie T50S,158Lx4.7Bx35D Nylon	4
53	058-000-44	Lead Wire Protection Plate SPHC	1
54	055-003-06	Rotor	1
55	147-000-58	Impeller key 18x11x76L S42J2	1
56	122-114-12	O-Ring P-385(384.5xd8.5) NBR	1
57	053-	Motor Protector	3
58	056-008-72	Stator 75kW-380.400.415V/50Hz	1
58	064-001-38	Motor Frame FC	1
59	140-130-10	Hex.Bolt M16x70 SUS304 (EN X5Cr18-10)	6
60	142-166-11	Spring Washer M16 SUS304	6
61	140-096-13	Hex.Bolt M12x25 SUS304	3
62	142-298-13	Seal Washer SM-12 SUS+NBR	3
63	122-114-12	O-Ring P-385(384.5xd8.5) NBR	1
64	065-000-67	Outer Cover d532x732L SS	1
65	140-076-17	Hex.Bolt M10x30 SUS304 (EN X5CrNi18-10) Stainless Steel	4
66	142-164-19	Spring Washer M10 SUS304	4
67	062-000-27	Bearing Cover FC	1
68	121-001-66	Packing 4x8x331L Felt	1
69	052-000-76	Bearing 7317BDB	1
70	142-250-13	Bearing Washer AW17 SPCC	1
71	141-082-19	Bearing Nut AN17 SS	1
72	122-307-14	O-Ring (P.Casing/Suction Plate) 510xd5.7 NBR	1
73	140-131-11	Hex.Bolt M16x75 SUS304 (EN X5CrNi18-10) Stainless Steel	6
74	142-166-11	Spring Washer M16 SUS304	6
75	060-001-87	Bearing Housing FC	1
76	035-113-18	Oil Plug M12x14 SUS304 (EN X5CrNi18-10) Stainless Steel	3
77	121-247-12	Packing d12.3xd18x2t PE	3
78	122-307-14	O-Ring (P.Casing/Suction Plate) 510xd5.7 NBR	1
79	090-122-11	Leakage Sensor(Electrode) d9x43L SUS	1
	003-151-19	Gland(for Leak Sensor) SPC	1
80	140-021-17	Hex.Bolt M5x20 SUS304 (EN X5CrNi18-10)	2
81	025-001-19	Mechanical Seal H-70 SiC	1
82	143-028-13	Pan Screw M5x10 SWRM	3
83	030-135-11	Oil Lifter H-70 SPCC	1
84	122-316-16	O-Ring 365xd5.7 NBR	1
85	029-147-12	Oil Casing GSZ-75-4 FC200 (EN-GJL-200)	1
86	142-165-10	Spring Washer M12 SUS304 (EN X5CrNi18-10) Stainless Steel	6
87	140-098-15	Hex.Bolt M12x35 SUS304	6
88	122-316-16	O-Ring 365xd5.7 NBR	1
89	026-119-16	Oil Seal (Upper) TC-8011515 NBR	1
90	071-000-58	Shaft Sleeve d70xd90x136 SUS403 (EN-X6Cr13)	1
91	140-096-13	Hex.Bolt M12x25 SUS304	6
92	142-165-10	Spring Washer M12 SUS304 (EN X5CrNi18-10) Stainless Steel	6
93	028-121-17	Seal Housing GSZ-75-4 FC200 (EN-GJL-200)	1
94	122-252-13	O-Ring 270xd3.8 NBR	1
95	026-119-16	Oil Seal (Upper) TC-8011515 NBR	2
96	026-151-23	Labyrinth Ring GSZ-55/75-4 SUS403 (EN X6Cr13) Stainless Steel	1
97	122-133-17	O-Ring G-110 NBR	1
98	020-345-15	Pump Casing GSZ-75-4 FC200 (EN-GJL-200)	1
99	021-010-09	Impeller (50Hz) GSD-55-4 HiCrFC	1
100	142-	Washer	1
101	024-156-19	Stirrer ShaftM45-M30 SS	1
102	024-157-10	Stirrer Shaft Cover M8x32L(B=13) FCD	1
103	024-158-11	StirrerDL-50/75/100 HiCRFC	1
104	142-171-19	Spring Washer M30 SUS304	1
105	141-036-18	Hex.Cap Nut M30 SUS304 (EN X5CrNi18-10)	1
106	033-138-13	Suction Mouth RingDL-75/100 FC200 (EN-GJL-200) + HiCRFC	1
107	122-254-15	O-Ring 265xd3.8 NBR	1
108	122-394-18	O-Ring 455xd5 NBR	1
109	022-689-10	Suction Cover DL-75/100 FC200 (EN-GJL-200)	1
110	142-166-11	Spring Washer M16 SUS304	8
111	140-124-11	Hex.Bolt M16x40 SUS304 (EN X5Cr18-10)	8
112	141-005-18	Hex.Nut M8 SUS304 (EN X5CrNi18-10)	3
113	140-269-19	Hex. Socket Cap Bolt M8x25 SUS304 (EN X5CrNi18-10) Stainless Steel	3
114	142-163-18	Spring Washer M8 SUS304	3
115	141-005-18	Hex.Nut M8 SUS304 (EN X5CrNi18-10)	3
116	140-272-31	Hex. Socket Cap BoltM8x40 EN X5CrNi18-10	3
117	023-443-13	Strainer StandDL-75/100 SS400+SPC	1

